



# **Types & Dimensions of Accessories**

附件型号及尺寸

# Cable Gland Outlet (Copper With Nickel Plate)

电缆密封接头 (黄铜镀镍)

Metric Order No. 公制订货代码	PG Order No. <b>PG制订货代码</b>	O.D. of Cable 电缆外径 φ (mm)	Hmm	SW <b>扳钳规格</b> mm
	AG11	5~10	21	20
AM20	AG13.5	6~12	22	22
	AG16	10~14	23	24
AM25	AG21	13~18	25	30
AM32	AG29	18~25	29	40
AM40	AG36	22~32	35	50






### **Cable Gland Outlet (Nylon)**

电缆密封接头 (尼龙)

Metric Order No. 公制订货代码	PG Order No. <b>PG制订货代码</b>	O.D. of Cable 电缆外径 φ (mm)	Hmm	SW <b>扳钳规格</b> mm
	VG11	5~10	21	20
VM20	VG13.5	6~12	6~12 22	22
	VG16	10~14	23	24
VM25	VG21	13~18	25	30
VM32	VG29	18~25	29	40
VM40	VG36	22~32	35	50






# Metal Hose Outlet (Zinc Alloy With Nickel Plate)

金属软管接头 (锌合金镀镍)

Metric Order No. 公制订货代码	PG Order No. <b>PG</b> 制订货代码	I.D of Hose <b>所配软管内径</b> φ (mm)	Hmm	Dmm	SW <b>扳钳规格</b> mm
	WG11	10	22	26.6	22
WM20	WG13.5	12	22	30	24
	WG16	15	22	33.6	30
WM25	WG21	20	24	40	36
WM32	WG29	25	30	51.5	46
WM40	WG36	32	35	63	55














#### Plastic Hose Outlet(Nylon)

软管接头 (尼龙)

Metric Order No. 公制订货代码		PG Order No. <b>PG制订货代码</b>		Hose O.D. <b>软管外径</b> φ (mm)	
NM11		NG11		ф 15.8	
NM13.5		NG13.5		ф 21.2	
	15		15	ф 15.8	
NM20	18	NG16	18	ф 17.8	
	21		21	ф 21.2	
NM25	21	NG21	21	ф 21.2	
INIVIZO	28	NGZI	28	ф 28.5	
NM32	34	NG29	34	ф 33.9	
NM40	42	NG36	42	ф 42	








# Cable Clamp Outlet (Copper With Nickel Plate)

电缆夹固密封接头 (黄铜镀镍)

Metric Order No. 公制订货代码	PG Order No. <b>PG制订货代码</b>	O.D. of Cable 电缆外径 φ (mm)	Hmm	SW <b>扳钳规格</b> mm
	CG11	10~12	26	20/22
CM20	CG13.5	12~14	27.5	22/24
	CG16	14~16	28.5	24/26
CM25	CG21	17~19	33	30/33
CM32	CG29	26~28	36	40/42
CM40	CG36	33~35	41	50/52






NOTE: The value in Order No.is the correspording Metric or PG value. E.g.the thread vale of AM20 is M20 and AG13.5 is PG13.5. 注意: 订货代码中数值即相应的公制或PG制值。如AM20即表示螺纹值为M20, AG13.5即表示螺纹值为PG13.5。

# Dust Cap of Receptacle (Nylon)

插座防尘盖 (尼龙)

Order No. 订货型号	Shell P/N 适用壳体	L mm	B mm
CR10	E10, DD42	76	45.7
CR16	E16, K4/0, K4/2, B6, D40, DD72	96.5	45.7
CR24	E24, K4/8, D64, DD108	123	45.7



## Dust Cap of Plug (Nylon) 插头防尘盖 (尼龙)

Order No. 订货型号	Shell P/N 适用壳体	L mm	B mm
CP10	E10,DD42	76	45.7
CP16	E16, K4/0, K4/2, B6, D40, DD72	96.5	45.7
CP24	E24, K4/8, D64, DD108	123	45.7

